

Brand Guidelines

Updated: June 2023



Table of Contents

The Logo	3
Clear Area	4
Black & White	5
Incorrect Use	6
Typography	7
SLP Color Palette	8



Question? Please contact marketing@simulations-plus.com

The Logo

The Simulations Plus logo is crucial to increasing brand awareness and perception. It may not be altered in any way other than specified in this style guide.

The consistent use of the logo will develop strong brand recognition and public awareness.

The Primary Logo should be used for most instances. The Stacked Logo is best used in square areas.

The logo and logotype (text) must be used in its entirety. It must always be produced exactly as shown.



Primary Logo



SimulationsPlus

Stacked Logo


Clear Area

The logo will always be surrounded by minimum clear space separating it from other objects and elements so it can be clearly identified.

This clear space should be kept free of all type, graphic elements, rules and detailed areas within illustrations and photography.

The Clear Space is defined by the pink square.

The Clear Space is approximately the size of a “lowercase” letter in the “Simulations Plus” primary logo.



Black & White

Some instances will require a one color logo. For example, when using a logo against a background that doesn't provide enough contrast between logo and photo OR when printing in black and white.



Primary Logo White



Primary Logo Black



Stacked Logo White



Stacked Logo Black

Incorrect Use

Here are some examples on how not to use our logo.



Do not alter the colors in the logo.



Do not compress the logo.



Do not skew the logo.



Do not rotate the logo.



Do not stretch the logo.



Do not use drop shadow or effects on the logo.

Typography

Consistent typography is to be used throughout communications as specified.

The Roboto family of fonts should be the primary font used for copy whenever possible.

The Calibri family of fonts should be used when Roboto isn't available. For example, within PowerPoint slides or scientific posters.

Eurostile should be used for division, product, & service titles.

Roboto

Sample Text

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789,.;'!"?()@#%&*

Calibri

Sample Text

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789,.;'!"?()@#%&*

Eurostile

Sample Text

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789,.;'!"?()@#%&*

SLP Color Palette

RGB codes for the Simulations Plus palette of colors.

Corporate Colors

S+ Dark Blue 00386b	S+ Light Blue 00a5db
-------------------------------	--------------------------------

ADMET Modeling

ADMET Predictor® 4c7ab3	MedChem Designer™ e13230
-----------------------------------	------------------------------------

PBPK Modeling

GastroPlus® 14d805	DDDPlus™ 46af9a	MembranePlus™ e2810f
------------------------------	---------------------------	--------------------------------

PMx/Clin Pharm

Cognigen 7a2e91

PK/PD Modeling

Monolix™ 00a4c6	Simulx™ ff7133	PKanalix™ 54ad38
---------------------------	--------------------------	----------------------------

QST Modeling

DILsym® & RENAsym® d71e3a

QSP Modeling

IPFsym® 6e8a88	ILDsym™ 008c9a	NAFLDsym® e3b729
--------------------------	--------------------------	----------------------------



www.simulations-plus.com